

GENAVCO

ISUZU

GENAVCO



OUR ASSOCIATE PARTNERS



WIRTGEN



VÖGELE



HAMM



KLEEMANN



BENNINGHOVEN

LIEBHERR



TEREX[®]
WASHING SYSTEMS

TEREX[®]
Minerals Processing Systems

SHANTUI[®]
VALUE THAT WORKS



CROWN

Godrej

STORAGE SOLUTIONS

JLG[®]



DENAIR

Green Power[®]
generators



Allison
Transmission.

mtu A Rolls-Royce
solution

ISUZU
MARINE



FLYGT
a xylem brand

Thwaites

AVANT[®]

Husqvarna[®]

GOULDS
WATER TECHNOLOGY
a xylem brand

Bell & Gossett
a xylem brand

INTRODUCTION

GENAVCO was founded in 1967 by His Excellency Juma Al Majid, following the establishment of the Juma Al Majid Group in 1950. While GENAVCO has operated in the UAE for 50 years, the company is still young in its willingness to take on new opportunities and expand. It is one of the leading companies in the UAE for supplying commercial vehicles, road construction equipment, quarry and mining equipment, material handling equipment, lubricants and other industrial/construction equipment, representing the world's leading brands from USA, Japan, Germany, UK and France. GENAVCO's Quality Management System has been certified according to ISO : 9001 2008 by BM TRADA certification.

"Our Vision Is focused on win-to-win business relationship with all stakeholders which makes us confident of becoming the top selected service provider of the industry, our brands to be the highest perceived among competitors and our services to be the most distinguished, leading us to achieve our customers maximum satisfaction"



Our Legacy...The beginnings

Years ago when the Gulf or Khaleej (as said in Arabic) was still new to trade, H.E. Juma Al Majid, Founder, Visionary and Chairman visualized the many business units which would be needed towards giving a lifestyle to the people living in UAE society.

With this vision, patiently wading through challenging waters, in the days of sea-faring, His Excellency met with owners of many foreign brands in the East and talked them into having their presence in the United Arab Emirates.

Brands began to respond and the vision became a mission and today, looking back, it is over 65 years of journey, bringing foreign brands to the United Arab Emirates.

H.E. Mr. JUMA AL MAJID
Chairman - Juma Al Majid Group

To impact the growth of Dubai and UAE, Juma Al Majid Group has many impressions and has emerged as a strong leader in all fields of its endeavor and is poised for even greater achievements.

H.E. Mr. KHALID AL MAJID
Vice Chairman - Juma Al Majid Group



Member of Juma Al Majid Holding Group



GENAVCO obtained the ISUZU franchise in 1982. Building on ISUZU'S worldwide reputation for reliability, un-paralleled quality and superior performance, GENAVCO has established that ISUZU is "The Perfect Partner" for every application in the U.A.E. ISUZU trucks now rank among the top two best selling light, medium and heavy duty commercial vehicles in the United Arab Emirates.

The ISUZU range of vehicles consist of the light commercial vehicle (DMAX), the light duty Truck N Series and the medium duty Truck F Series. ISUZU manufactured trucks & pickups are used by all major fleet operators for a wide range of applications such as Cargo Truck, Refrigerated Box, Delivery Van, Recovery, Tipper Truck, Trailers etc...

With showrooms in Dubai, Sharjah, Abu Dhabi and Al Ain, a team of experienced sales consultants and a strong after sales service, GENAVCO – ISUZU team is looking forward to more successes in the future.

N-Series

LIGHT DUTY TRUCKS



NLR Range (Single Wheel model)

Engine Size: 2,999cc - Turbo Diesel
 Engine Power: 105hp @ 3200rpm
 Payload: 2.5 ton
 Chassis Length: 3.1m
 (Cargo also Available)



NMR (85) Range (E22 & Crew Cab)

Engine Size: 2,999cc – Turbo Diesel
 Engine Power: 124hp @ 2600rpm
 Payload: 3 ton
 Chassis Length: from 3.1m
 (Cargo also Available)



NPR (85) Range (H22, K22 & Crew Cab)

Engine Size: 2,999cc – Turbo Diesel
 Engine Power: 124hp @ 2600rpm
 Payload: 4.2 ton
 Chassis Length: 4.3m (H22) / 5.0m (K22) / 3.3m (Crew Cab)
 (Cargo also Available)

N-Series

LIGHT DUTY TRUCKS



NPR (75) (K24, L24, Tipper & 4x4)
Engine Size: 5,193cc – Turbo Diesel
Engine Power: 155hp @ 2600rpm
Payload: 5 ton
Chassis Length: from 4.9m (K24) / 5.6 (L24)



NQR (75) (L24/ M24)
Engine Size: 5,193cc – Turbo Diesel
Engine Power: 155hp @ 2600rpm
Payload: 6 ton
Chassis Length: 5.6m (L24) / 6.1 (M24)

F-Series

MEDIUM DUTY TRUCKS



FRR
Engine Size: 5,193cc – Turbo Diesel
Engine Power: 190hp @ 2600rpm
Payload: 8 ton
Chassis Length: 6.1m



FSR & FVR
Engine Size: 7,790cc – Turbo Diesel
Engine Power: 240hp @ 2400rpm
Payload: from 8.13 ton
Chassis Length: 6.1 (FSR), 7.2 (FVR)

ISUZU D-MAX

LIGHT COMMERCIAL VEHICLES



Single & Flatbed – Base 4x2

Engine Size: 1,898cc
Engine : RZ4E-TC / Turbo Diesel
Engine Power: 150hp @ 3600rpm
Engine Torque: 350N.m. @ 1800-2600rpm



Crew Cab – Base 4x4 / 4x2



ROAD CONSTRUCTION EQUIPMENT

GENAVCO acquired the franchise of leading machinery & equipment brands for construction, Industrial, quarry & mining and materials handling equipment in their portfolio during subsequent years.

WIRTGEN

COLD MILLING, COLD RECYCLERS, SOIL STABILIZERS, SLIP FORM PAVERS AND SURFACE MINERS



Cold Milling Machines

Milling Width : 350mm-2200mm
Operating Weight Range : 4450 kgs.-44050 kgs.



Cold Recyclers & Soil Stabilizers

Working Width : 2200mm-4200mm
Operating Weight Range : 4520 kgs.-77000 kgs.



Surface Miners

Cutting Width : 2200mm-4200mm
Operating Weight Range : 52560 kgs.-204300 kgs.



Slipform Pavers

Paving Width : 1800mm-16000mm
Operating Weight Range : 9800 kgs.-140000 kgs.

VÖGELE

ROAD PAVING EQUIPMENT



Mini Class, Super Series 700/800

Paving Width : 0.5m-3.5m
Weight Range : 6.2T to 6.6T



Universal Class, Super Series 1600/1700/1800

Paving Width : 2.5m-10.0m
Weight Range : 17.3T to 19.4T



Highway Class, Super Series 1900/2000/2100/3000

Paving Width : 2.5m - 16.0m
Weight Range : 20.9 T to 28.7 T



Power Feeder MT Series

Conveying Capacity : 1200 T/H
Weight Range : 19.2T to 23.8T

HAMM

ASPHALT ROLLERS AND COMPACTORS




Pneumatic Tyre Rollers

Weight Class : 10.0T to 28.0T
Working Weight : 1980mm-2084mm



HD Series Tandem Rollers

Weight Class : 7.0T to 14.0T
Drum Weight : 1500mm-1680mm



HD Series Compact Rollers

Weight Class : 1.5T to 4.5T
Drum Weight : 800mm-1380mm



3000 Series Compactors

Weight Class : 10.0T to 25.0T
Drum Weight : 2140mm-2220mm

EARTHMOVING EQUIPMENT



GENAVCO acquired the franchise of leading machinery & equipment brands for construction, Industrial, quarry & mining and materials handling equipment in their portfolio during subsequent years.

LIEBHERR

EARTHMOVING & MATERIAL HANDLING EQUIPMENT




Wheel Loaders

Operating Weight Range : 10.4T-24.72T
Bucket Size Range : 2.0m³-5.0m³



Wheel Excavators

Operating Weight Range : 18.50T-20.60T
Backhoe Bucket Size : 0.32m³-1.20m³



Crawler Excavators

Operating Weight Range : 20.0T-101.20T
Backhoe Bucket Size Range : 0.60m³-6.80m³



Bulldozers

Operating Weight Range : 17.96T-73.18T
Blade Capacity : 3.80m³-22.00m³

SHANTUI® VALUE THAT WORKS

EARTHMOVING EQUIPMENT



Wheel Loaders

Operating Weight Range : 6.2T-29.5T
Bucket Size Range : 1.0m³-4.5m³



Motor Graders

Power Range : 140-215HP
Blade Range : 3.6m- 3.96m
Operating Wt: 11T-17T



Crawler Excavators

Operating Weight Range : 5.28T-46.8T
Bucket Size Range : 0.5m³-2.1m³



Bulldozers

Operating Weight Range : 13.7T-50T
Blade Capacity : 3.7m³-16.00m³

BULL

BACKHOE LOADERS & SKID STEER LOADERS



Bull HD 76

Carraro synchroshuttle transmission with integral torque converter
Gross Power : 56.7Kw (76HP)@2200 rpm



HD96

Kirloskar 4R 1040, TA2 EURO III A, Diesel Engine
Gross Power : 71.6Kw (96HP) @2200 rpm



HD100

PERKINS 1104D-44TA, EU NRMM 97/68/EC, EURO III A
Gross Power : 74.5Kw (100HP) @2200 rpm



SKID STEER LOADER

KUBOTA 4 cylinder Diesel Engine
Operating weight : 700kg
Gross Power : 36.5Kw (49HP) @2700 rpm

LIGHT CONSTRUCTION EQUIPMENT

GENAVCO acquired the franchise of leading machinery & equipment brands for construction, Industrial, quarry & mining and materials handling equipment in their portfolio during subsequent years.



AGRICULTURE & GARDENING LOADERS



Avant 200-500 Series

Kohler and Kubota Diesel Engine
 Engine Power : 14.9kW – 19.kW (26HP)
 Weight : 700kg- 1300kg
 Lifting height : 1400mm – 2900mm



Avant 600-800 Series

Kohler and Kubota Diesel Engine
 Engine Power : 19Kw(26HP) – 41kW(57HP)
 Weight : 1300kg- 2500kg
 Lifting height : 2900mm – 3500m



Avant E Series

E series are Battery-Driven, 100% electric
 Battery capacity : 13.6-13.8 kWh
 Weight : 1600kg
 Lifting height : 2900mm



Attachments List

Choose the right tools from our versatile selection of attachments purposely designed for all-year use, and your Avant loader will deliver results you can be proud of. In the winter, plowing and sanding; in the spring sweeping and washing; lawn care in the summer and collecting leaves in the autumn. Avant offers an efficient and multi-functional system for all your needs around the year.



LIGHT EQUIPMENT & CONCRETE PLACEMENT EQUIPMENT



Double Drum Roller

Operating weight : 700kg- 1675kg
 Power : 7.2kW – 17.8kW
 Drum Width : 650mm- 850mm



Forward and Reversible Plate Compactors

Operating weight : 160kg- 820kg
 Power : 3.1kW – 11kW
 Fuel : Petrol and Diesel
 Plate Width : 350mm- 660mm



Forward Plate Compactors

Operating weight : 60kg- 130kg
 Power : 2.1kW – 3.6Kw
 Fuel : Petrol and Diesel
 Plate Width : 350mm- 500mm



Tampers

Operating weight : 52kg- 91kg
 Power : 2.7kW – 3Kw
 Fuel : Petrol and Diesel
 Plate Width : 150mm- 300mm



Vibrators And Pokers

Mechanical, Electrical & pneumatic Pokers with vibrator unit
 Dia : 26mm-76mm Fuel : Petrol/Diesel



Concrete Finishing Tools

Walk behind Screed, Double Beam and Modular Screed. Finishing trowel.
 Petrol and Electric range



Floor Saws

Cutting depth: 125mm-650mm
 Blade Dia : 350mm – 1500mm
 Power : 3.6kW – 55Kw
 Fuel : Petrol and Diesel




Floor Grinders

Floor grinders ranging from 2.2kW – 16.5kW
 Grinding width : 280mm- 800mm
 Weight : 70kg- 598kg



Dust And Slurry Management

Industrial dust and slurry extractor ranging from
 1.1kW – 11kW
 Performance capacity : 215m³/h – 900m³/h
 Weight : 25kg- 336kg



Power Cutters

Power cutters ranging from 3.7kW- 5.8kW
 Cutting Depth : 118mm- 400mm



GENAVCO acquired the franchise of leading machinery & equipment brands for construction, Industrial, quarry & mining and materials handling equipment in their portfolio during subsequent years.

KLEEMANN

MOBILE – JAW, CONE, IMPACT CRUSHERS & MOBILE SCREENS



MOBICAT - Track Mounted Jaw Crushers
Crushing Capacity: 90 tph – 650 tph



MOBIREX - Track Mounted Impact Crushers
Crushing Capacity: 205 tph – 600 tph



MOBICONE - Track Mounted Crushing Plants
Crushing Capacity: 170 tph – 425 tph



MOBISCREEN - Track Mounted Screening Plants
Feeding Capacity : 200 tph - 800 tph

BENNINGHOVEN

ASPHALT MIXING PLANTS



Mobile Asphalt Mixing Plants - Type MBA : 100 to 240 T/H



Transportable Asphalt Mixing Plants - Type ECO : 160 to 320 T/H



Transportable Asphalt Mixing Plants - Type TBA : 160 to 320 T/H




Stationary Asphalt Mixing Plants - Type BA : 240 to 400 T/H

TEREX WASHING SYSTEMS


TEREX WASHING SYSTEMS



Washing System-Fine Master Series
Washing Capacity: 6tph - 200 tph
Models: FM60BW | FM120CI | FM120BW | FM200



Washing System-Screw & Bucket
Production Capacity: 165 tph – 585 tph
Models: T100 | T150 | T200



Modular Washing System
Models: AggWash 60-1 | 60-2
Washing Capacity: 70 tph




AggreSand System (Modular)
Models: Aggresand 165 | Aggresand 206
Washing Capacity: 120 tph – 200 tph

TEREX Minerals Processing Systems

TEREX MODULAR CRUSHING & SCREENING


TEREX WHEELED CRUSHING & SCREENING



Cedarapids, Modular Jaw Plant - MJ 42
Production Capacity: 155 tph – 670 tph



Cedarapids, Modular Cone Plant - MC 450X
Production Capacity: 180 tph – 450 tph



Cedarapids Modular Cone Plant - MC 450X
Production Capacity: 165 tph – 585 tph



Cedarapids Wheeled HSI Plant - CRH1316
Production Range: 140 tph – 400 tph

EQUIPMENT SALES



GENAVCO acquired the franchise of leading machinery & equipment brands for construction, Industrial, quarry & mining and materials handling equipment in their portfolio during subsequent years.



CROWN LIFT TRUCKS & WAREHOUSING EQUIPMENT



Three / Four Wheel Counter Balanced Forklift
Capacity Range 1300kgs-3000kgs.
Lift Height Range: 2890mm-7925mm



Pallet Walkie & Ride-On Type Stackers
Capacity Range : 1000kgs.-1800kgs.
Lift Height Range : 1550mm-5400mm



Reach Truck
Capacity Range:1400kgs.-2000kgs.
Lift Height Range:2760mm-13560mm



Sit-Down Double Deep Reach Truck
Capacity: 1450kgs.
Lift Height: 11225mm



Turret Trucks
Capacity Range: 1000kgs.-1500kgs.
Lift Height Range:4900mm-17145mm



Powered Pallet Trucks
Capacity Range : 2000kgs.-3600kgs.
Lift Height: 125mm



Work Assist Vehicle WAV 60
Capacity: 90 kgs.
Lift Height: 2995 mm
Operator Picking Height: 5000mm



Hand Pallet Trucks PTH50 Series
Capacity Range:2300 kgs.
Lift Height : 127mm

Godrej | STORAGE SOLUTIONS

GODREJ STORAGE SOLUTIONS



Selective Pallet Racking



Mobile Pallet Racking




Light duty shelving




Drive-in Racking



Multi-Tier shelving




Double Deep racking



Cantilever racking



Mezzanine floors



GENAVCO acquired the franchise of leading machinery & equipment brands for construction, Industrial, quarry & mining and materials handling equipment in their portfolio during subsequent years.



ACCESS PLATFORMS



Diesel Articulating Boom Lifts
Platform Height Range :10.33m-46.15m
Outreach Range : 6.71m - 23.55m



Electric Articulating Boom Lifts
Platform Height Range : 8.97m - 13.72m
Outreach Range : 6.17m - 7.24m



Diesel Straight Boom Lifts
Platform Height Range :12.29m-56.56m
Outreach Range : 10.39m - 24.38m



Electric Straight Boom Lifts
Platform Height Range : 18.36m - 18.39m
Outreach Range : 13.19m - 13.54m



Diesel Scissor Lifts
Platform Height Range :7.92m-16.15m
Capacity Range : 570kgs -1020kgs.



Electric Scissor Lifts
Platform Height Range : 3.72m - 12.19m
Capacity Range : 230 kgs. - 680 kgs.



Electric Toucan Series
Platform Height Range :6.15m-10.65m
Outreach Range : 2.39m - 6.05m



Diesel / Electric Compact Crawlers
Platform Height Range : 11.30m - 30.5m
Outreach Range : 7.08m - 16.6m
Capacity Range : 230 kgs.



Vertical Mast Lifts
Platform Height Range :6.22m-12.42m
Capacity Range : 135kgs -160kgs.



Stock Pickers
Platform Height Range : 3.05m - 4.00m
Capacity Range : 130 kgs. - 160 kgs.



JLG Telehandlers
Lifting Capacity : 3.6T-4.0T
Lifting Height Range : 14m -16m



Low-Level Access
Platform Height Range : 1.5m - 3.1m
Capacity : 150 - 250 kgs



ARTICULATED FORKLIFT TRUCKS



SHANTUI FORKLIFT



Narrow Aisle Articulated Forklift Trucks
Capacity Range : 1500kgs. - 2500kgs.
Lift Height Range : 4500mm - 13000mm



Storemax Narrow Aisle Double Deep Forklifts
Capacity Range : 2000 Kgs.
Lift Height Range : 4500mm - 12000mm



Shantui SF-30 A Diesel Forklifts
Capacity Range : 3000 kg. At 500 mm Load Centre
Max. Fork Height 4500 mm - 3 Stage Mast
Lowered Mast Height 2140 mm (Container Application)
Mast Extended Height 5600 mm with Backrest
Free Lift Height 975 mm with Backrest



Denair diesel portable screw air compressors are widely used in all kinds of heavy-duty industries, such as Mining, Hydropower, Oil and Gas Industries, Borehole Drilling, Shipyards, Construction, Chemical Industries, Quarries, Sandblasting, Pipeline pressure tests, public works, etc. Free air delivery range is from 3.4 to 46.38 m³/min and working pressure from 7 to 35bar make these compressors fit for almost any application.



COMPRESSED AIR SYSTEM



Diesel Portable Screw Air Compressors

Engine : Cummins / Kubota Engine for Model DACY 5.3/7
 Free Air Delivery : 190 cfm to 460 cfm
 (5.3 m³/min to 13 m³/min)
 Pressure : 7 Bar to 10 Bar (100 PSI to 150 PSI)



Diesel Driven Portable Air Compressor

Engine : Cummins
 Free Air Delivery : 460 cfm to 1,650 cfm
 (13 m³/min to 45 m³/min)
 Pressure : 10 Bar to 35 Bar (150 PSI to 508 PSI)



Diesel Driven Portable Air Compressor

Engine : Cummins
 Free Air Delivery : 5.3 to 46.38 m³/min (190 cfm to 1,650 cfm)
 Pressure : 7 Bar to 35 Bar (100 PSI to 508 PSI)
 Zone II Fittings : Spark Arrestor, Inlet Shutdown Valve, Automatic Trip/Pop-Off System, Anti-Static fan Belt, Certificates



Fixed Speed Screw Type Air Compressor

Range : 5.5 kW to 400 kW (7.5 HP to 550 HP)
 Free Air Delivery : 12 cfm to 2,670 cfm
 (0.36 m³/min to 75.64 m³/min)
 Pressure : 3 Bar to 40 Bar (45 PSI to 580 PSI)



Variable Speed Screw Air Compressor

Range : 5.5 kW to 400 kW (7.5 HP to 550 HP)
 Free Air Delivery : 12 cfm to 2,670 cfm (0.36 m³/min)
 Pressure : 3 Bar to 40 Bar (45 PSI to 580 PSI)



Oil Free Air Compressors

Range : 2.2 kW to 315 kW (3 HP to 425 HP) - Available in Variable Speed Drive
 Free Air Delivery : 8 cfm to 1,837 cfm (0.24 m³/min to 52.03 m³/min)
 Pressure : 7.5 Bar to 10.5 Bar (45 PSI to 580 PSI)



Full Feature Screw Type Air Compressor

Range : 5.5 kW to 37 kW (3 HP to 425 HP) – Available in Variable Speed Drive
 Free Air Delivery : 17 cfm to 225 cfm (0.47 m³/min to 7.73 m³/min)
 Pressure : 7.5 Bar to 13 Bar (45 PSI to 580 PSI)




Compressed Air Dryers, Filters & Tanks

Refrigeration Dryers : +3 Deg PDP, 1.2 m³/min to 65 m³/min (42 cfm to 2,295 cfm)
 Filters : Up to 0.01 micron dust particle filtration and 0.001 ppm oil vapor removal
 Compressed Air Tanks : 300 ltr. To 40,000 ltr. Capacity (8 bar to 40 bar)




Compressed Air Desiccant Dryer

Capacity : 1.2 m³/min to 160 m³/min
 (i.e. 42 cfm to 5,650 cfm)
 Pressure Dew Point : -40 Deg C
 Pressure : 6 to 10 Bar



Centrifugal Air Compressors

Flow Rate : 25 m³/min to 460 m³/min
 (i.e. 880 cfm to 16,242 cfm)
 Pressure : 0.6 Bar to 25 Bar (i.e. 8 PSI to 362.5 PSI)



Centrifugal Air Compressors

Flow Rate : 430 m³/min to 3,000 m³/min
 (15,185 cfm to 105,945 cfm)
 Pressure : 0.6 Bar to 25 Bar (i.e. 8 PSI to 362.5 PSI)



Turbocharger Series

Flow Rate : 436 m³/min to 3,000 m³/min
 (15,400 cfm to 105,945 cfm)
 Pressure : 0.3 Bar to 1 Bar (i.e. 4 PSI to 14.5 PSI)



GENAVCO acquired the franchise of leading machinery & equipment brands for construction, Industrial, quarry & mining and materials handling equipment in their portfolio during subsequent years.



DIESEL GENERATOR SETS FOR CONTINUOUS POWER APPLICATION



Diesel Generators , Open Type

Prime Power Range :
5 KVA - 3000 KVA, 400 / 230 V,
0.8 PF, 50 Hz, 1500 RPM

Engine : Perkins, Doosan,
Mitsubishi, Scania, Volvo, FPT
Alternator : Mecaltite, Stamford,
Leroy Somer



Diesel Generators, Silenced

Prime Power Range :
5 KVA - 3000 KVA, 400 / 230 V,
0.8 PF, 50 Hz, 1500 RPM

Engine : Perkins, Doosan,
Mitsubishi, Scania, Volvo, FPT
Alternator : Mecaltite, Stamford,
Leroy Somer



Tower Lights

Fixed or Mobile Type
Power up to 22 KVA
one-phase or three-phase,
petrol or diesel




INDUSTRIAL / OFF-HIGHWAY & MAIRNE DIESEL ENGINES




Off-Highway Diesel Engines

Rating : 43kw/58HP-448kw/601HP
Displacement : 2.9 litres - 13.5 litres
Tier 1 - Tier 4



Generator Engines

Rating-32kva/29 kW to
460kva/368kW
Displacement : 2.9 litres-13.5
litres




Marine Diesel Engine

Rating : 60kw/80HP - 559kw/750HP
Displacement : 4.5 litres - 13.5 litres




AUTOMATIC TRANSMISSION FOR INDUSTRIAL, AUTOMOTIVE AND CONSTRUCTION EQPT.



Transmission 47000FS,

CAT-Allison Adaptation Kit C15 complete with Controls, Harness, Output Flange.



Transmission 3000 SERIES,

Engine 300HP, 1100Nm
Allison 4th Generation Controls SAE#2.



DIESEL ENGINES FOR INDUSTRIAL AND OIL & GAS APPLICATION



Industrial Diesel Engine model 12V2000C11

Tier II, 56kw/ 760BHP @ 2100 rpm.
Heavy Duty Engine



Series 60 Turbocharged Water Cooled Engine 6063HV39

600 BHP @ 2100 rpm, Tier 3



MARINE ENGINES FOR FISHING BOAT, DHOWSAND PLEASURE CRAFT (Output Range 67HP - 954HP)




Marine Engine model UM6HE1TCX,

Output 350HP, 2800rpm,
six Cylinders



Marine Engine model 6M125AP-2

Output 550PS, 404 kw,
six Cylinders



Marine Engine model UM6WG1TCX

Output 720HP @ 2100rpm,
six Cylinders



DIESEL ENGINES




Off-Highway Diesel Engines

The product portfolio of the business fields of Hatz Diesel extends small and compact single-cylinder diesel engines with 1.5 kW to four-cylinder engines with a power of 64 kW (For Diesel Engine for Industrial & Construction Application)



Hydraulic Pumps

Hydraulic Pump with volume of 2.05 cm³/rev to 22.87 cm³/rev and operate at speeds up to 8,000 rpm. The maximum working pressure is between 150 and 255 bar (For Hydraulic Pumps)



Power System

Diesel Powered Generators ranging from 2kVA-9.5kVA
Volt : 230V – 400V/50Hz



GENAVCO acquired the franchise of leading machinery & equipment brands for construction, Industrial, quarry & mining and materials handling equipment in their portfolio during subsequent years.



WATER PUMPS



Flygt N-Series Pumps

- Self cleaning pumps with sustained high efficiency
- Patented N-technology with Non clog N-type Impeller
- N-series includes Small, Medium & Large capacity pumps
- Flow up to 3200 l/s
- Head up to 130 m
- Motor Power rating starting from 1.7kW to 680 k



Flygt Propeller Pumps

- Low Head & High flow pumping
- Column pipe/ channel type installation
- Flow up to 7000 l/s
- Head up to 14 m Head
- Motor Ratings up to 578 kW is available



Flygt Mixers

- Outstanding reliability, Strong bulk flow
- Banana Blade Mixers
- Extreme energy efficiency
- Easy to service
- Compact Mixers



Flygt Dewatering Pumps

- Submersible heavy duty dewatering pumps for construction and mining industry
- Can be used in every dewatering challenge
- Flow up to 270 l/s
- Head up to 90 m Head
- Motor Ratings up to 90 kW is available



Flygt C-Series Pumps

- Flygt Channel Impeller series pumps
- Comes with channel type impeller
- C-series also includes Small, Medium & Large capacity pumps
- Flow up to 3000 l/s
- Head up to 100 m



Flygt F-Series Pumps

- Flygt Cutter impeller series pumps
- Available with Cutter type impeller
- Rough and rugged, Flygt F-pumps tackle the toughest wastewater challenges. By cutting solids or fibers down to size, Flygt chopper pumps ensure reliable and trouble-free operation
- Flow up to 150 l/s
- Head up to 40



Flygt M-Series Pumps

- Flygt Grinder impeller series pumps
- Pumps coming with Grinder type impeller
- The Flygt centrifugal grinder pumps are high-efficiency submersible centrifugal and suitable for handling solids-bearing liquids in residential, commercial and agricultural applications
- Flow up to 14 l/s
- Head up to 20 m



Flygt Slurry Pumps

- Flygt Slurry pumps
- Flygt submersible slurry pumps offer many advantages. Operating directly in the slurry, a submersible slurry pump requires no support superstructure
- Submersible Heavy resistant slurry pump mainly used for industrial applications such as treatment plants, fly ash etc.
- Flow up to 320 l/s
- Head up to 88 m



WATER PUMPS



Godwin Series Pumps

- Godwin Dri-Prime pumps transport raw sewage, sludges and fluids with solids up to 5 inches in diameter. The pumps prime automatically from dry to 28 feet of suction lift, and can run dry.
- Equipped with a diesel engine for stand-alone operation, these pumps will work on any site, no matter how remote. All engines meet the latest emissions regulations.
- Flow range up to 16,500 gpm.
- Maximum Total Dynamic Head up to 260 ft.



GENAVCO acquired the franchise of leading machinery & equipment brands for construction, Industrial, quarry & mining and materials handling equipment in their portfolio during subsequent years.



GOULDS



Multistage Pumps

Energy efficient Multistage pumps in Horizontal & Vertical installation for Surface as well as Borehole in Booster applications. Delivery: up to 160 m³/h, Head: up to 330 m



End-suction centrifugal pumps

The single-stage, back pull-out, horizontal centrifugal in closed coupled & in a frame-mounted version for water transport applications. Delivery: Up to 1800m³/hr, Head: Up to 160m



Large split case pumps

Single-stage horizontal split-case pump for bulk water transport application in power-plant/water-utility, industry & leisure industry. Delivery: Up to 12,960 m³/hr, Head up to: 266 m




Dewatering/Submersible pumps

Submersible Electric Pumps for drainage of clean/dirty water, with or without Float switch version. Delivery: Up to 40m³/hr, Head: Up to 25m




BELL & GOSSETT



Horizontal End suction Pumps-1510,1532 series

Heavy Duty Back Pullout End-suction pumps for efficient pumping across the widest range of operations. Delivery: Up to 908 m³/hr and heads up to 152 m.



Horizontal Split case pumps

Powerful and Reliable Horizontal split-case pumps for chillers, boilers, cooling towers, and hydronic distribution etc. Delivery: Up to 4041 m³/hr and heads up to 300 m.



Heating circulator pumps

Energy efficient circulators with Fixed/Variable speed controller options for heating as well as cooling applications. Delivery: Up to 68 m³/hr and heads up to 23 m.



SITE DUMPERS



Small Dumpers

Thwaites UK site Dumpers rang from 1 tonne – 2 tonne with Front tip and power swivel. Engine : Yanmar Diesel Engine @ 15.9kW



Medium Size Dumpers

Thwaites UK site Dumpers ranging from 2.5 tonne – 4.5 tonne with Front tip and power swivel. Engine : Yanmar Diesel Engine @ 18.1kW to 33.3kW



Large Size Dumpers

Thwaites UK site Dumpers ranging from 6 tonne – 9 tonne with Front tip and power swivel with Cabin and Canopy Option. Engine : 3.6L Deutz turbo @ 55.4



BP history is full of discoveries, starting in 1908 with oil found in a rugged part of Persia after a long and difficult search. Since then, discoveries large and small have fuelled our progress. The company that started out at the turn of the twentieth century as Anglo Persian Oil Company is now BP.

GENAVCO is the authorized sole distributor for BP lubricants in U.A.E.
The association between BP and GENAVCO dates back to 1968.

A professional team ensures maximum benefits for the customers no matter what type of vehicle or machinery. We provide a professional advice as to which product will give you the best performance. To satisfy the increasingly precise requirements of modern engines a wide variety of Automotive Engine oils – Gasoline & Diesel engines, Transmission Fluids, Compressor Oils, Hydraulic Fluids, Turbine Oils, Industrial Gear Oils, Greases, Brake Fluids and Coolants. Viscosity grades and specifications are available in different pack sizes.

BP VISCO - Petrol Engin Oils.

Available grades : Mineral SAR - 20W50
Part Synthetic SAE - 5W30 & 10W40
Fully Synthetic SAE - 0W20, 5W30 & 5W40
Available packs : 1Liter, 4Liter & 208Liter



BP VANELLUS - Diesel Engine Oils.

Available grades : SAE-15W40 CH4 & C14
Available packs : 4Liter, 5Liter, 20Liter & 208Liter



BP ENERGEAR - Manual Gear Oils.

Available grades : SAE-90, 140, 80W90 & 85W140
Available packs : 4Liter & 208Liter



BP AUTRAN DEX MERC - Automatic Transmission Fluid

Available packs : 1Liter, 4Liter & 208Liter



BP ISOCOOL - Radiator coolant 50%

Available packs : 4Liter & 208Liter



BP ENERGREASE - Multi Purpos Grease

Available grades : NLGI -2 & NLGI - 3
Temperature range of -20 to +220°C
Available packs : 1kg, 15kg & 180kg



BP Brake Fluid - DOT4

Available packs : 250ml



BP Hydraulic Oil

Available grades : ISO VG - 32, 46, 68 & 100
Available packs : 20Liter & 208Liter



BP ENERGOL RC - R68

Compressor Oil
Available packs : 20Liter



At GENAVCO's parts department we are committed to customer service. We continuously try not only to meet but also to exceed our customers' expectations. This is one reason parts availability for our main products exceeds 90% to support our customer's needs in U.A.E.

Our parts success is a combination of a good facility, latest computer technology and highly skilled employees as well as a commitment to stock 100% genuine zero-defect parts only.

Having customer's needs as our top priority, we continuously work with our suppliers on improving our service by bringing the latest Computer software, Electronic parts cataloguing, Improved Delivery and Price reductions.

Close To Our Customers

EQUIPMENT SERVICE



Customer satisfaction comes first in principle that leads our efforts to attain quality services. Manufacturer's specifications and recommendation are highly considered to protect customers business & support its growth.

In 1980 our valued customers benefited with the installation of the first engine dynamometer & transmission test bench in the region. This "Engine & Transmission" section employs qualified & competent factory trained engineers to perform the major refurbishment overhauls for engines & transmissions in dust free air conditioned area before its put on the test bench.

The up to date fully equipped electronic /electrical section is on continuous update deal with the latest technology and new designs. In addition our hydraulics & pneumatics section handles the range of road construction equipment, materials handling equipment, crushing & screening plants as well as air compressors.

Service Offering to Customers

- Free Product familiarization.
- Troubleshooting & inspection, Repair/ overhaul / assembly.
- Inspection & repair at customer site and premises.
- Annual Preventive Maintenance Contract
- Comprehensive Service & Maintenance Contract for selected brands.
- Inspection /repair outside UAE region and overseas.
- Service Training includes Familiarization & Troubleshooting training / Diagnostic training / Repair and overhaul training.
- Spare parts & reconditioned parts for DDC & Allison.
- Third party scope of work.
- Machines cleaning and painting.
- 24 hrs / 7days Phone Help Desk +971506257520

**We stand by our customers offering
a long lasting partnership**





ISUZU service center at GENAVCO is a model of up-to-date technology, equipped with state-of-the-art machinery that is operated by factory trained engineers and technicians; this is where ISUZU vehicles and components are serviced and repaired to the manufacturers specifications.

In addition to routine service and repairs, rust-proofing and truck body painting are also handled by the service centre.

Our policy is to keep our customers satisfied and happy, through our quick and professional services coupled with our reasonable service charges.

ISUZU SERVICE CONTRACT OFFER

- Service Contract available on flexible prices and conditions
- Extended warranty available upon request
- Services applicable across all Isuzu Service Centers (Dubai, Sharjah, Abu Dhabi & Alain)
- We can provide mobile service at customer site as well
- After duty hours services also available upon customer request

Model	Service Contracts
N - Service	Contract Terms & Conditions will be available upon request
F - Service	
D - Max	



EQUIPMENT RENTAL



Genavco rental division has been in to rental activities for decades having a mixed fleet of generators, portable air compressors, earthmoving equipment, aerial work platforms and material handling equipment. Choose now the equipment you wish to rent, we are one phone-call away!

Whenever you are ready to rent, just select the equipment that suits your business requirements. Whether a short or long term rental, lease purchase or rent to own. GENAVCO is willing to provide you with the best solution.



ELECTRIC FORKLIFT TRUCKS



Fork Lifts



Reach Trucks



Powered Pallet Trucks



Double Deep Reach Trucks

FLEXIBLE SOLUTIONS WITH THE SUPPORT YOU NEED

Whether your forklift requirements are short-term or long-term, whether you need a whole fleet trucks or just a few, GENAVCO is ready to respond with rental or purchase options designed to meet your specific needs.

When you choose CROWN LIFT TRUCKS you'll receive industry-leading performance, durability and reliability plus unmatched support from our responsive and qualified professional team in the business



EARTH MOVING EQUIPMENT



Wheel Loaders



Motor Graders



Excavators



Bulldozers



Diesel Generators, Silenced



Portable Air Compressors



Boom Lifts



Sizzor Lifts

For Enquires : rental@genavco.com

For more than a century, Yokohama has been a world leader in the development of outstanding tire designs and technology, giving drivers better control on the road. Since its establishment in 1917, we have devoted ourselves to advancing the leading edge of the industry. We were the first Japanese tire manufacturer to be granted ISO9001 certification in recognition of a quality-assurance model-company in design, development, manufacture installation, and related services.

Yokohama also takes its responsibilities to the environment very seriously. Among our many ongoing initiatives, we have eliminated the use of CFCs and trichloroethane in the manufacturing process, and have switched from heavy oil to natural gas to reduce CO2 emissions and save energy.

Driven by the needs of people, Yokohama continues to respond with environmentally-compatible solutions engineered to outperform, whatever the performance need.

Established in 1958 in Dubai, the tyres division of Juma Al Majid Group is the official distributor of Yokohama Tires in the UAE, with representative branches that boast state-of-the-art tyre service centres and showrooms.

Juma Al Majid has been awarded several times by Yokohama Japan for successfully maintaining a steady growth in business and the company crossed the half-million mark in terms of sold units in the UAE.



LIGHT TRUCK TYRES



RY215



RY01



RY108

PASSENGER CAR TYRES



G015



G055



G056



V105



ES32



E70B

SUV / 4X4

High Performance
Sport

Sedan / Saloon



Standard

Range of Batteries
for Light Vehicles




Now Available Fulmen Range
of Automotive Batteries



MANAGEMENT TEAM



Paul Henning - Director
Mob: 054-5271566



Anton Du Plessis
General Manager
Isuzu Sales
Mob: 055-8241845



Asif S. Khan
General Manager
HEQ Sales
Mob: 055-6441243



Fakhru Islam
General Manager
Spare Parts
Mob: 050-4538861




Vikas Anand
General Manager
Tyres & Batteries
Mob: 052-9534372



Babar Ahmed
Division Manager
BP Lubricants
Mob: 050-4902623




Bashar Gharaibeh
Division Manager
HEQ Service
Mob: 050-6582243



Tarek Al Joundi
Branch Manager
Abu Dhabi
Mob: 050-6520543



Nazih Dwikat
Division Manager
Isuzu Service
Mob: 050-7652554



Ahmad Manna
Finance Manager
Genavco
Mob: 050-8462046

Your Perfect Partner

800 GENAVCO
4362826
www.genavco.com



Member of Juma Al Majid Holding Group

General Navigation And Commerce Company
L.L.C.



الشركة العامة للملاحة والتجارة
ذ.م.م.

DUBAI

P.O.Box 5563
Tel +971 4 396 1000
Fax +971 4 396 1308

SHARJAH

Tel +971 6 532 7772
Fax +971 6 532 7776

ABU DHABI

P.O.Box 751
Tel +971 2 554 4611
Fax +971 2 554 4622

AL AIN

Tel +971 3 721 5559
Fax +971 3 721 1477